



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

## SAFETY DATA SHEET

Compliant with Annex II of REACH – Regulation (EU) 2015/830

### REGAL VARNISH MAT

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 1/10

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Name : **REGAL VARNISH MAT**  
Product code: 60000091

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description/use: Mat Varnish

### 1.3. Details of the supplier of the safety data sheet

Company: C.T.S. S.r.l.  
Via Piave, 20/22  
36077 Altavilla Vicentina (VI)  
Italy  
+39 0444 349088 / +39 0444 349039

E-mail of the competent person,  
responsible for the safety data sheet: sales.ctsitaly@ctseurope.com

### 1.4. Emergency telephone number

C.T.S. S.r.l.: +39 0444 349088 (Working hours)

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS02, GHS07

Hazard Class and Category Code(s):  
Flam. Liq. 2, Skin Sens. 1A, STOT SE 3, Aquatic Chronic 3

Hazard statement Code(s):  
H225 - Highly flammable liquid and vapour.  
H317 - May cause an allergic skin reaction.  
H336 - May cause drowsiness or dizziness.  
H412 - Harmful to aquatic life with long lasting effects.

The product easy inflames if subordinate to an ignition source.  
The product, if brought into contact with skin can cause skin sensitization.  
Warning: Vapours inhalation may cause sleepiness and giddiness  
The product is dangerous to the environment as it is harmful to aquatic life with long lasting effects



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):



GHS02 GHS07

Hazard Code(s): Warning

H225 - Highly flammable liquid and vapour.

H317 - May cause an allergic skin reaction.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Supplemental Hazard statement Code(s):

not applicable

Precautionary statements:

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P273 - Avoid release to the environment.

Response

P363 - Wash contaminated clothing before reuse.

Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

Contains:

Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics, Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Content of VOC ready to use condition: 73,00 %

## 2.3. Other hazards

The substance / mixture NOT contains substances PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII No information on other hazards

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of hazard statements

Substance	Concentration[ w/w]	Classification	Index	CAS	EINECS	REACH
Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics	>= 50 < 75%	Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT SE 3, H336; Aquatic Chronic 3, H412			927-241-2	01-2119471 843-32-XXX X
Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	>= 0,1 < 1%	Skin Sens. 1A, H317; Aquatic Acute 1, H400; Aquatic Chronic 1, H410		1065336-91-5	915-687-0	01-2119491 304-40-XXX X

### REGAL VARNISH MAT

Revision n° 2

Revision date: 02/11/2020

Printed on 10/11/2020

Page: 2/10



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

**REGAL VARNISH MAT**

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 3/10

## SECTION 4. First aid measures

### 4.1. Description of first aid measures

**Inhalation:**

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated area.

If you feel unwell seek medical advice.

Direct contact with skin (of the pure product):

Wash thoroughly with soap and running water.

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water for at least 10 minutes.

**Ingestion:**

Not hazardous. It's possible to give activated charcoal in water or liquid paraffin medicine

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

Advised extinguishing agents:

CO2 or dry powder extinguisher

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

**REGAL VARNISH MAT**

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 4/10

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

Wear gloves and protective clothing

#### 6.1.2 For emergency responders:

Wear gloves and protective clothing

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

### 6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the authorities.

Discharge the remains in compliance with the regulations

### 6.3. Methods and material for containment and cleaning up

#### 6.3.1 For containment:

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

#### 6.3.2 For cleaning up:

After wiping up, wash with water the area and materials

involved 6.3.3 Other information:

None in particular.

### 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

Do not smoke at work

At work do not eat or drink.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

See also paragraph 8 below.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

Keep containers tightly closed.

Always store in well ventilated areas.

Never close the container tightly, leave a chance to vent

Keep away from open flames, sparks and heat sources. Avoid direct sunlight exposure.



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

### 7.3. Specific end use(s)

Formulation [mixing] of preparations and/or re-packaging:

Handle with care.

Store in a ventilated place away from heat sources,

Keep container tightly closed.

Industrial Manufacturing:

Handle with extreme caution.

Store in a well ventilated place away from heat sources.

Manufacture of textiles, leather, fur:

Handle with care.

Store in a ventilated place away from heat sources,

Keep container tightly closed.

### REGAL VARNISH MAT

Revision n° 2

Revision date: 02/11/2020

Printed on 10/11/2020

Page: 5/10

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

- Substance: Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics

DNEL

Systemic effects Long term Workers inhalation = 871 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 77 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 185 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 46 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 46 (mg/kg bw/day)

- Substance: Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

DNEL

Systemic effects Long term Workers inhalation = 0,68 (mg/m<sup>3</sup>)

Systemic effects Long term Workers dermal = 0,5 (mg/kg bw/day)

Systemic effects Long term Consumers inhalation = 0,17 (mg/m<sup>3</sup>)

Systemic effects Long term Consumers dermal = 0,25 (mg/kg bw/day)

Systemic effects Long term Consumers oral = 0,05 (mg/kg bw/day)

PNEC

Sweet water = 0,002 (mg/l)

sediment Sweet water = 1,05 (mg/kg/sediment)

sediment Sea water = 0,11 (mg/kg/sediment)

intermittent emissions = 0,009 (mg/l)

STP = 1 (mg/l)

ground = 0,21 (mg/kg ground)

### 8.2. Exposure controls

Appropriate engineering controls:

Formulation [mixing] of preparations and/or re-packaging:

No specific checks planned

Industrial Manufacturing:

No specific monitoring foreseen

Manufacture of textiles, leather, fur:

No specific checks planned

Individual protection measures:

(a) Eye / face protection

Wear mask

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)





**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

**REGAL VARNISH MAT**

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 6/10

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Use adequate protective respiratory equipment (EN 14387:2008)

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	liquid	
Odour	characteristic	
Odour threshold	not determined	
pH (1:10)	irrelevant	
Melting point/freezing point	irrelevant	
Initial boiling point and boiling range	95 °C	
Flash point	9 °C	ASTM D92
Evaporation rate	irrelevant	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	not determined	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	0.9	
Solubility	not determined	
Water solubility	no	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	not determined	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	not explosive	
Oxidising properties	non-oxidizing	

### 9.2. Other information

Content of VOC ready to use condition: 73,00 %



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Avoid contact with combustible materials. The product could catch fire. heat, open flames, sparks or hot surfaces.

### 10.5. Incompatible materials

It can generate inflammable gases to contact with elementary metals, nitrides, strong reducing agents.  
It can generate toxic gases to contact with oxidants mineral acids, organic peroxides, organic water peroxides.  
It can ignite in contact with oxidants mineral acids, organic nitrides, peroxides and water peroxides, strong oxidants agents.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral = ∞

ATE(mix) dermal = ∞

ATE(mix) inhal = ∞

- (a) acute toxicity: based on available data, the classification criteria are not met.
- (b) skin corrosion/irritation based on available data, the classification criteria are not met.
- (c) serious eye damage/irritation: based on available data, the classification criteria are not met.
- (d) respiratory or skin sensitization: The product, if brought into contact with skin can cause skin sensitization.
- (e) germ cell mutagenicity: based on available data, the classification criteria are not met.
- (f) carcinogenicity: based on available data, the classification criteria are not met.
- (g) reproductive toxicity: based on available data, the classification criteria are not met.
- (h) specific target organ toxicity (STOT) single exposure: Warning: Vapours inhalation may cause sleepiness and giddiness
- (i) specific target organ toxicity (STOT) repeated exposure based on available data, the classification criteria are not met.
- (j) aspiration hazard: based on available data, the classification criteria are not met.

### REGAL VARNISH MAT

Revision n° 2

Revision date: 02/11/2020

Printed on 10/11/2020

Page: 7/10



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

**REGAL VARNISH MAT**

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 8/10

## SECTION 12. Ecological information

### 12.1. Toxicity

The product is dangerous for the environment as it is toxic for aquatic organisms following acute exposure. Use according to good working practices to avoid pollution into the environment.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No PBT/vPvB ingredient is present

### 12.6. Other adverse effects

No adverse effects

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies. Recover if possible. Operate according to local or national regulations

## SECTION 14. Transport information

### 14.1. UN number

ADR/RID/IMDG/ICAO-IATA: 1263

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



### 14.2. UN proper shipping name

ADR/RID/IMDG: PITTURE o MATERIE SIMILI ALLA PITTURE

ADR/RID/IMDG: PAINT or PAINT RELATED MATERIAL

ICAO-IATA: PAINT or PAINT RELATED MATERIAL



**C.T.S. S.R.L.**  
VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



**FILIALI:**

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

### 14.3. Transport hazard class(es)

ADR/RID/IMDG/ICAO-IATA: Class : 3  
ADR/RID/IMDG/ICAO-IATA: Label : 3  
ADR: Tunnel restriction code : D/E  
ADR/RID/IMDG/ICAO-IATA: Limited quantities : 5 L  
IMDG - EmS : F-E, S-E

### 14.4. Packing group

ADR/RID/IMDG/ICAO-IATA: III

### 14.5. Environmental hazards

ADR/RID/ICAO-IATA: Product is not environmentally hazardous  
IMDG: Marine polluting agent : Not

### 14.6. Special precautions for user

The transport must be carried out by authorised vehicles carrying dangerous goods in accordance with the requirements of the current edition of the agreement and the provisions A.D.R national regulations.  
The transport must be carried out in the original packaging and in packages that are made from materials resistant to the content and not likely to generate with this dangerous reactions. Employees to the loading and unloading of dangerous goods have received proper training on the risks presented by prepared and on possible procedures to be taken in the event of emergency situations

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

## SECTION 15. Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category:  
P5c - FLAMMABLE LIQUIDS  
REGULATION (EU) No 1357/2014 - waste:  
HP3 - Flammable  
HP5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

### 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

### REGAL VARNISH MAT

Revision n° 2  
Revision date: 02/11/2020  
Printed on 10/11/2020  
Page: 9/10



**C.T.S. S.R.L.**

VIA PIAVE, 20/22 - 36077 **ALTAVILLA VICENTINA (VI)**  
TEL. +39 0444 349088 (4 linee r.a.) - FAX +39 0444 349039  
www.ctseurope.com - E-mail: cts.italia@ctseurope.com - P.I. e C.F. IT02443840240

Body Accredited by ACCREDIA



FILIALI:

VIA A. F. STELLA, 5 - 20125 **MILANO** - TEL. 02 67493225 (2 linee r.a.) - FAX 02 67493233  
VIA L. GORDIGIANI, 54 int. A1-A2 - 50127 **FIRENZE** - TEL. 055 3245014 (2 linee r.a.) - FAX 055 3245078  
VIA G. FANTOLI, 26 - 00149 **ROMA** - TEL. 06 55301779 (2 linee r.a.) - FAX 06 5592891  
VIA DELLE PUGLIE, 228 int. 4 - 80143 **NAPOLI** - TEL. 081 7592971 - FAX 081 7593118

## SECTION 16. Other information

### 16.1. Other information

#### REGAL VARNISH MAT

Revision n° 2

Revision date: 02/11/2020

Printed on 10/11/2020

Page: 10/10

Description of the hazard statements exposed to point 3

H226 = Flammable liquid and vapour.

H304 = May be fatal if swallowed and enters airways.

H336 = May cause drowsiness or dizziness.

H412 = Harmful to aquatic life with long lasting effects.

H317 = May cause an allergic skin reaction.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

Classification based on data of all mixture components

#### GENERAL BIBLIOGRAPHY

Regulation (EC) 1907/2006 (REACH) of the European Parliament

Regulation (EC) 1272/2008 (CLP) of the European Parliament

Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament

Regulation (EU) 2015/830 of the European Parliament

Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament

Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament

Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament

Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament

Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament

Regulation (EU) 2016/1179 (IX Atp. CLP)

Regulation (EU) 2017/776 (X Atp. CLP)

Regulation (EU) 2018/669 (XI Atp. CLP)

Regulation (EU) 2018/1480 (XIII Atp. CLP)

Regulation (EU) 2019/521 (XII Atp. CLP)

- The Merck Index. - 10th Edition

- Handling Chemical Safety

- INRS - Fiche Toxicologique (toxicological sheet)

- Patty - Industrial Hygiene and Toxicology

- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website

- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

#### Note for users:

Information contained in this data sheet is based on our state of knowledge and on laboratory testing at the above-specified date. The User should determine, by preliminary tests, the suitability of the product for his intended purpose, and should observe the laws and regulations regarding health and safety.

C.T.S. S.r.l. guarantees the constant quality of the product but is not accountable for any damages caused by the incorrect use of a material. The product is intended **for professional use only**.